

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	Jonathan S. WOLF et al.	Examiner:	Pramila Parthasarathy
Patent No.:	7,150,037 B2	Art Unit:	2136
Issued:	December 12, 2006	Confirmation No.:	9526
Serial No.:	09/877,209		
Filed:	June 8, 2001		
For:	NETWORK CONFIGURATION MANAGER		

U.S. Patent and Trademark Office
Customer Service Window
Attn: Certificate of Correction Branch
Randolph Building
401 Dulany Street
Alexandria, VA 22314

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
PURSUANT TO 37 C.F.R. §1.323**

Applicant respectfully requests a certificate of correction for the above-identified patent due to errors made by the Patent Office.

- [x] The errors and the correct information can be found in the patent application as filed and/or in the prosecution history in the following locations:

In the Claims, in line 6 of Claim 1, delete "tile" and insert --file--.

The corrections are indicated on the attached Form PTO/SB/44 for Certificate of Correction.

The correction is required due to Patent Office error. The above error was introduced by the Examiner's Amendment mailed on January 11, 2006. Therefore, it is believed that no fee is required.

In the event that a fee is required, the Director is hereby authorized to charge any underpayment of the fees associated with this communication under 37 C.F.R. §1.20 or credit any overpayment to Deposit Account No. 50-1283.

Dated: 10/25/07

Cooley Godward Kronish LLP
ATTN: Patent Group
777 6th Street, NW
Suite 1100
Washington, DC 20001
Tel: (720) 566-4044
Fax: (202) 842-7899

286496 v1/CO

Respectfully submitted,
COOLEY GODWARD KRONISH LLP

By: Thomas M. Croft
Thomas M. Croft
Reg. No. 44,051

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,150,037 B2

PAGE 1 OF 1

DATED : December 12, 2006

INVENTOR(S) : Jonathan S. WOLF et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

In Line 6 of Claim 1, delete "tile" and insert --file--.

MAILING ADDRESS OF SENDER:

Cooley Godward Kronish LLP

ATTN: Patent Group

777 6th Street, NW

Suite 1100

Washington, DC 20001

PATENT NO. 7,150,037 B2